




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A61K 31/195	A1	(11) International Publication Number: WO 98/57626 (43) International Publication Date: 23 December 1998 (23.12.98)
(21) International Application Number: PCT/SE97/01101 (22) International Filing Date: 19 June 1997 (19.06.97) (71) Applicant (for all designated States except US): A + SCIENCE INVEST AB [SE/SE]; Kungspartavenyn 31-35, S-400 10 Göteborg (SE). (72) Inventors; and (75) Inventors/Applicants (for US only): PETTERSSON, Anders [SE/SE]; Knaverstad 130 66, S-442 97 Kode (SE). FÄNDRICKS, Lars [SE/SE]; Askims Ängsväg 14, S-436 40 Askim (SE). (74) Agent: AWAPATENT AB; P.O. Box 11394, S-404 28 Göteborg (SE).	(81) Designated States: AL, AM, AT, AT (Utility model), AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, CZ (Utility model), DE, DE (Utility model), DK, DK (Utility model), EE, ES, FI, FI (Utility model), GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SK (Utility model), SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published With international search report.	

(54) Title: USE OF L-ARGININE OR A PHARMACEUTICALLY ACCEPTABLE SALT THEREOF FOR PRODUCTION OF DRUGS FOR TREATMENT OF *HELICOBACTER PYLORI* INFECTIONS



(57) Abstract

The present invention relates to the use of L-arginine, at least one of its pharmaceutically acceptable salts or a mixture thereof for production of a drug intended for oral, parenteral, or rectal administration for treatment of infections caused by *Helicobacter pylori*. The active substance may be included in the drug in its neutral form or as a pro-drug, which is later metabolised by a host into the active form. Furthermore, the drug may include an inert vehicle and/or other pharmaceutically acceptable additives.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

USE OF L-ARGININE OR A PHARMACEUTICALLY ACCEPTABLE SALT
THEREOF FOR PRODUCTION OF DRUGS FOR TREATMENT OF HELI-
COBACTER PYLORI INFECTIONS

Field of the invention

The present invention relates to the use of L-arginine or a pharmaceutically acceptable salt thereof for production of a drug for treatment of infections
5 caused by *Helicobacter pylori*.

Background of the invention

Helicobacter pylori is a gram-negative, microaerophilic, curved bacteria, which causes infections in the
10 stomach in humans and some other species, such as pig, monkey, and horse. Approximately 30% of the population in the western countries is affected by *Helicobacter pylori* infections. *Helicobacter pylori* causes a local inflammation, called antrum gastritis, and contributes to other
15 pathological conditions in the gastroduodenal tract. This is mainly related to gastric ulcer, but the infection is also considered as an important factor in the development of atrophic gastritis, stomach cancer and stomach lymphoma. Eradication of the bacteria also cures the ulcer
20 disease.

Medication used for treatment of *Helicobacter pylori* infections normally consists of antibiotics in combination with bismuth salts and/or antacids, such as histamine-2 receptor antagonists or proton pump inhibitors.
25 The effect of this medication is limited due to the fact that it involves a combination of several drugs, resulting in an increase of the side-effects, which leads to a decreased patient compliance, i.e. the patient does not use the drugs in the prescribed way, and high drug costs.

30 Another alternative for treatment of *Helicobacter pylori* infections is the use of vaccination, either per oral vaccination or parental administered vaccination. Vaccination leads to an activation or a stimulation of

the host's immunological defence. However, since *Helicobacter pylori* infections are chronic infections, the bacteria may develop a certain resistance against this immunological defence, and it is thus difficult to develop an effective vaccine against *Helicobacter pylori*.

From EP-A-0 689 835 it is known to use a nutrient composition comprising a mixture of 17 different amino acids, including L-arginine, and a fatty acid for the treatment of inflammatory bowel disease. However, since this nutrient composition includes 17 different amino acids, it is relatively complicated to produce.

From JP-A-07267855 it is known to use a glutamine-producing agent containing several amino acids, including L-arginine, e.g. to obtain an antiulcerative effect. According to this document it is thus also necessary to use a combination of different amino acids in order to obtain the desired effect.

Summary of the invention

It has now surprisingly been found that a drug containing L-arginine, preferably in the form of a tablet, is effective for eradication of *Helicobacter pylori* in mammals and other species. Thus, the present invention relates to the use of L-arginine or a pharmaceutically acceptable salt thereof for production of a drug for treatment of infections caused by *Helicobacter pylori*.

The characterising features of the invention will be evident from the following description and the appended claims.

Brief description of the drawing

The invention will now be described in further detail hereinafter with reference to the accompanying drawing on which:

Fig. 1. shows a graph illustrating the percentage of patients positive for *Helicobacter pylori* after treatment with L-arginine and D-arginine, respectively.

5

Detailed description of the invention

Thus, the present invention relates to the use of L-arginine, at least one of its pharmaceutically acceptable salts or a mixture thereof for production of a drug or a pharmaceutical composition for treatment of infections caused by *Helicobacter pylori*.

The drug may be intended for oral administration, parenteral administration, or rectal administration. The drug may also be intended for delayed release of the active substance.

The active substance may be included in the drug in its neutral form, as a salt or as a pro-drug, which is metabolised by the intended recipient into the active form.

Furthermore, the drug may include an inert vehicle and/or other pharmaceutically acceptable additives.

The drug according to the invention is suitable for use in combination with other substances affecting *Helicobacter pylori* infections, such as antibiotics, histamine-2 receptor antagonists, bismuth salts, proton pump inhibitors, ascorbic acid, antacids or sucralfate.

An appropriate dosage is 0.01-30 g L-arginine divided into 1-5 administrations.

The invention will now be further explained in the following example. This example is only intended to illustrate the invention and should in no way be considered to limit the scope of the invention.

Example

Helicobacter pylori bacteria were detected by the so called urea breath test, UBT. This test, which is well known to persons skilled in the art, is based on the fact

that *Helicobacter pylori* bacteria in the stomach metabolise urea into carbon dioxide and water. The carbon dioxide will then be emitted in the breath. If a patient infected with *Helicobacter pylori* bacteria drinks a liquid
5 containing isotope labelled urea his breath will then contain isotope labelled carbon dioxide.

20 patients tested positive for *Helicobacter pylori* bacteria with the above mentioned test were used in this example. 10 of these patients were treated with tablets
10 containing L-arginine during 14 days. The dosage used was 1 g given 3 times daily. The remaining 10 patients, constituting a control group, were treated in the same way but with tablets containing D-arginine instead of L-arginine.

15 The presence of *Helicobacter pylori* bacteria was controlled with the urea breath test 20 and 40 days after day one, i.e. when the first tablet was administered. The result of these tests is shown in figure 1.

It is clearly evident that the treatment with L-
20 arginine was successful in eradication of *Helicobacter pylori* bacteria.

CLAIMS

1. Use of L-arginine or a pharmaceutically acceptable salt thereof for production of a drug for treatment of *Helicobacter pylori* infections.

2. Use of L-arginine according to claim 1, characterised in that the drug is intended for oral administration.

3. Use of L-arginine according to claim 1, characterised in that the drug is intended for parenteral administration.


4. Use of L-arginine according to claim 1, characterised in that the drug is intended for rectal administration.

5. Use of L-arginine according to any one of claims 1-4, characterised in that the active substance is included in the drug in its neutral form.

6. Use of L-arginine according to any one of claims 1-4, characterised in that the active substance is included in the drug as a pro-drug, which may be metabolised by a host into the active form.

7. Use of L-arginine according to any one of claims 1-6, characterised in that the drug comprises an inert vehicle.

8. Use of L-arginine according to any one of claims 1-7, characterised in that the drug is suitable for use in combination with other substances affecting *Helicobacter pylori* infections, such as antibiotics, histamine-2 receptor antagonists, bismuth salts, proton pump inhibitors, ascorbic acid, antacids or sucralfate.

*Fig. 1*

INTERNATIONAL SEARCH REPORT

International application No.

PCT/SE 97/01101

A. CLASSIFICATION OF SUBJECT MATTER		
IPC6: A61K 31/195 According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED		
Minimum documentation searched (classification system followed by classification symbols)		
IPC6: A61K		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
SE,DK,FI,NO classes as above		
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)		
CA,WPI,IFIPAT,EMBASE,MEDLINE		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 0689835 A2 (AJINOMOTO CO.,INC.), 3 January 1996 (03.01.96)	1-8
	--	
A	JP 7-267855 A (TAIHO YAKUHHIN KOGYO KK OTSUKA PHARMACEUT FACTORY INC.), 17 October 1995 (17.10.95)	1-8
	--	
A	Applied and Environmental Microbiol, Volume 60, No 9, 1994, P.Nedenskov, "Nutritional Requirements for Growth of Helicobacter pylori" page 3450 - page 3453	1-8
	--	
<input checked="" type="checkbox"/> Further documents are listed in the continuation of Box C. <input checked="" type="checkbox"/> See patent family annex.		
* Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "&" document member of the same patent family		
Date of the actual completion of the international search		Date of mailing of the international search report
21 January 1998		27 -01- 1998
Name and mailing address of the ISA/ Swedish Patent Office Box 5055, S-102 42 STOCKHOLM Facsimile No. +46 8 666 02 86		Authorized officer Eva Johansson Telephone No. +46 8 782 25 00

INTERNATIONAL SEARCH REPORT

International application No. 97/01101

PCT/SE 97/01101

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>Cancer Lett., Volume 102, 1996, K.B. Shapiro et al, "Induction of Nitric Oxide Synthesis in Murine Macrophages by Helicobacter pylori" page 49 - page 56</p> <p>-----</p>	1-8

INTERNATIONAL SEARCH REPORT

Information on patent family members

07/01/98

International application No. 97/01101

PCT/SE 97/01101

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 0689835 A2	03/01/96	JP 8073351 A	19/03/96
JP 7-267855 A	17/10/95	NONE	